

Panda[®]

**It does
everything.**


PANDA[®] Steamer Series
Multipurpose Steam Range

GAS APPLIANCES





PANDA® Steamer Series
Multipurpose Steam Range



Versatility in Customization


Tri-Ply stainless steel is designed with two layers of stainless steel and an aluminum core for excellent heat conductivity, ensuring even and consistent heating.

heat prevention shield design

An Extra layer of stainless steel layed on top of flue riser for Preventing Burn Injuries

Easy to Clean


100% Stainless steel removable drip tray under each burner, for grease, and waste.



L handle gas valves

“L” shaped handle gas valves


provide easy access for knee operation which ensures hands-free cooking.



Independently controlled burners

Stainless Steel Construction

This range features an all stainless steel construction to ensure long-lasting durability and easy cleaning.



Smart Cooling System

Adjustable Feet

For added convenience, each of this unit's four feet are adjustable, allowing you to account for uneven counter tops for added stability.



Autoflo swing faucet

High Output Burners

Designed for powerful output, the (2) 30,000 BTU burners provide intense heat to quickly cook your signature dishes.

PANDA® G SERIES Multipurpose Steam Ranges

Technical Specification

MODEL	13" WOK CHAMBER	17" WOK CHAMBER	12"OPEN BURNERS	DIMENSION (IN)			WATER INLET	POWER	WITHOUT OVEN BTU/HR	WITH OVEN BTU/HR
				W	D	H				
PCWR-13W-2B	1	-	2	36	36	70	1/2	3/4	164,000	199,000
PCWR-17W-2B	-	1	2	36	36	70	1/2	3/4	164,000	199,000
PCWR-13W-4B	1	-	4	48	36	70	1/2	3/4	228,000	298,000
PCWR-17W-4B	-	1	4	48	36	70	1/2	3/4	228,000	298,000



NFS
This item meets the standards imposed by NSF International, which focuses on public safety, health, and the environment.

Product Dimensions

